## **Public Notice**

U.S. Army Corps of Engineers

Pittsburgh District

In Reply Refer to Notice No. below US Army Corps of Engineers, Pittsburgh District 1000 Liberty Avenue

Closing Date: September 9, 2005

Pittsburgh, PA 15222-4186

Application No. 200101575

Date: August 19, 2005

Notice No. 05-56

1. <u>TO ALL WHOM IT MAY CONCERN</u>: The following application has been submitted for a Department of the Army Permit under the provisions of Section 404 of the Clean Water Act (33 U.S.C. 1344).

2. APPLICANT:

W.A.E. Corporation 346 Chevoit Place Cortland, OH 44410

- 3. <u>LOCATION</u>: The site is located on Petrocco Plat Nos. 7, 8, & 10, west of Cedar Drive, south of Myrtle Avenue, and west of Portal Drive, Robbies Run, Troy Place and Ruth Avenue, in wetlands adjacent to a tributary to Walnut Creek, in Cortland, Bazetta Township, Trumbull County, Ohio.
- 4. PURPOSE AND DESCRIPTION OF WORK: The applicant is proposing to impact 0.89 acres of jurisdictional emergent wetland, 0.29 acres of jurisdictional forested wetland, and 0.09 acres of non-jurisdictional, isolated wetlands for the construction of a residential development on Petrocco Plat Nos. 7, 8, and 10. In addition, approximately 572 l.f. of perennial stream channel will be relocated using natural stream channel design techniques and 529 l.f. of ephemeral stream channel will be relocated behind lots V-AA. The applicant is proposing to construct compensatory mitigation on the northern portion of plat 8 adjacent to wetland 5. Drawings of the proposed project are attached to this notice.
- 5. <u>WATER QUALITY CERTIFICATION</u>: A Permit will not be granted until Water Quality Certification is received or waived from:
  Ohio Environmental Protection Agency (Ohio EPA)
  Section 401 Coordinator

P.O. Box 1049

Columbus, Ohio 43266-0149

Telephone Number: 614-644-2001

6. <u>IMPACT ON NATURAL RESOURCES</u>: The District Engineer has consulted the most recently available information and has

determined that the project is not likely to affect the continued existence of any endangered species or threatened species, or result in the destruction or adverse modification of habitat of such species which has been determined to be critical. This Public Notice serves as a request to the U. S. Fish and Wildlife Service for any additional information they may have on whether any listed or proposed to be listed endangered or threatened species may be present in the area which would be affected by the activity, pursuant to Section 7(c) of the Endangered Species Act of 1972 (as amended).

- 7. IMPACT ON CULTURAL RESOURCES: The National Register of Historic Places has been consulted, and it has been determined that there are no properties currently listed on the register which would be directly affected by the proposed work. If we are made aware, as a result of comments received in response to this notice, or by other means, of specific archeological, scientific, prehistorical, or historical sites or structures which might be affected by the proposed work, the District Engineer will immediately take the appropriate action necessary pursuant to the National Historic Preservation Act of 1966 Public Law 89-665 as amended (including Public Law 96-515).
- 8. <u>PUBLIC INVOLVEMENT</u>: Any person may request, in writing, within the comment period specified in the paragraph below entitled "RESPONSES," that a public hearing be held to consider this application. The requests for public hearing shall state, with particularity, the reasons for holding a public hearing.
- **EVALUATION**: Interested parties are invited to state any objections they may have to the proposed work. The decision whether to issue a permit will be based on an evaluation of the probable impact including cumulative impacts of the proposed activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefit which reasonably may be expected to accrue from the proposals must be balanced against its reasonably foreseeable detriments. All factors which may be relevant to the proposal will be considered including the cumulative effects thereof; among those are conservation, economics, aesthetics, general environmental concerns, wetlands, historic properties, fish and wildlife values, flood hazards, flood plain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production, mineral needs, considerations of property ownership and, in general, the needs and welfare of The Corps of Engineers is soliciting comments from the people. the public; Federal, state, and local agencies and officials; Indian Tribes; and other interested parties in order to consider and evaluate the impacts of this proposed activity. Any comments received will be considered by the Corps of Engineers to determine whether to issue, modify, condition or deny a permit

CELRP-OP-F
Public Notice No. 05-56


for this proposal. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and the other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the overall public interest of the proposed activity. The evaluation of the impact of the activity on the public interest will include application of the guidelines promulgated by the Administrator, Environmental Protection Agency, under the authority of Section 404(b) of the Clean Water Act (40 CFR Part 230).

10. <u>RESPONSES</u>: A permit will be granted unless its issuance is found to be contrary to the public interest. Written statements concerning the proposed activity should be received in this office on or before the closing date of this Public Notice in order to become a part of the record and to be considered in the final determination. Any objections which are received during this period may be forwarded to the applicant for possible resolution before the determination is made whether to issue or deny the requested DA Permit. All responses to this notice should be directed to the Regulatory Branch, attn Christina L. Schroeder, at the above address or by telephoning (412) 395-7375. Please refer to CELRP-OP-F 200101575 in all responses.

FOR THE DISTRICT ENGINEER:

/signed/

Michael J. Cummings, Jr. Chief, Regulatory Branch



PN 05-56 Page # 4

